

2-Bay & 3-Bay Credenzas

Standard depth, single and dual display cabinets

Avteq credenzas are made to order and perfect for conference rooms, huddle spaces and training centers. Credenzas are fully customizable and designed specifically for commercial AV use. The standard configuration is 22.95 inches deep and includes two or three bays plus storage that supports all your audio visual equipment. The integrated VESA mounting system eliminates wall-mounted displays and supports a single display up to 98" or dual displays up to 86". The back of the credenza is open for maximum ventilation. Optional back covers are available.

Choose from a wide selection of laminates or custom veneers from WilsonArt or Formica. Avteq can also help match existing furniture.

Avteq credenzas come fully assembled to simplify installation which makes these cabinets the perfect choice for standard room solutions across multiple

FEATURES

- Standard 2-bay or 3-bay configurations
- Custom 4- to 6-bay cabinets available
- Universal VESA mount for single or dual displays
- 12RU sliding, rotating rack
- Open back for ventilation
- 9-port rack-mounted surge protector
- Round door pulls
- Leveling feet
- 100% steel frame
- Optional back bay covers
- Optional modesty panel to cover display uprights
- Optional camera shelves
- TAA compliant



3-Bay Credenza



2-Bay Credenza

CUSTOM SIZES




4-Bay Credenza




6-Bay Credenza

DIMENSIONS

2-Bay Credenza



3-Bay Credenza



SPECIFICATIONS

Part Number (Single Dual Dual Xtra Large)	2-Bay: (CRED2V-S CRED2V-D CRED2V-DX) 3-Bay: (CRED3L-S CRED3L-D CRED3L-DX)
Display Sizes	Single: (45-98 inches) Dual: (45-82 inches) Dual Xtra Large: 86 inch
Dimensions (HxWxD)	
2-Bay	52.6 x 30 x 25.4 Inches (1336.04 x 762 x 645.16 mm)
3-Bay	79 x 30 x 25.4 Inches (736.6 x 2006.6 x 596.9 mm)
Cabinet	22.5 x 24 x 22 Inches (571.5 x 609.6 x 558.8 mm)
Rack (D)	17 Inches
Rack Space	12 RU
UM-1 Single Display (min-max width)	Min: 27.1 Inches (688.34 mm) Max: 42.2 Inches (1071.88 mm)
UM-2 Dual Display (min-max width)	Min: 57 Inches (1447.8 mm) Max: 93.7 Inches (2379.98 mm)
Credenza Uprights Max Height	65 Inches (1651 mm) from floor to center display

* Contact your AVTEQ representative for applications larger than 90".

CUSTOM SIZES

4- to 6-bay configurations available. Contact your Avteq sales rep for pricing, custom sizes and options.

FINISHES

AVTEQ uses quality laminate and veneer finishes from the WilsonArt catalog. To view the entire catalog, visit WilsonArt.com.




WHITE BARN
7977



WHITE CYPRESS
7976



ASIAN SAND
7952



BEIGEWOOD
7850



TUSCAN LIMESTONE
1861




TRUSS MAPLE
7972




NEW AGE OAK
7938




ALOE
7962




TUSCAN WALNUT
7921




NEPAL TEAK
7209




ASIAN SUN
7951



WILD CHERRY
7054



BILTMORE CHERRY
7924



ZANZIBAR
7957



XANADU
7945



5TH AVE. ELM
7966



BOARDWALK OAK
7983




SKYLINE WALNUT
7954



STERLING ASH
7995



EBONY RECON
7997



MADAGASCAR
7944

ACCESSORIES



Poly Studio X Mounts
POLY-X-24 | POLY-X-32
POLY-X-42



Cisco Room Kit Mounts
CRK-ABV-24 | CRK-ABV-32 |
CRK-ABV-42
CRK-BLW-24 | CRK-BLW-32 |
CRK-BLW-42



Logitech Rally Bar Mount
LRC-MOUNT-24 | LRC-MOUNT-32
LRC-MOUNT-42



Yealink MeetingBar
YEA-24 | YEA-32 | YEA-42




Bose VideoBar VB1 Mount
AVT-VB1-24 | AVT-VB1-32 |
AVT-VB1-42



Rotating Rack
SR-12



Back Bay Covers
CRED2-BC | CRED3-BC



Credenza Modesty Panel
CRED2-PP-L | CRED3-PP-L



Call 800.285.8315 or visit AVTEQ.net

© 2023 Avteq Inc. All rights reserved. All specifications subject to change without notice. Trademarks used herein are the property of Avteq Inc. or of their respective owners.

#CRED072023